EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3599	(similarity! or similarit\$3 or (degree\$1 adj2 relevance) or relevance) near (term\$5 or word\$1 or data or language)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/19 10:13
L2	2509	1 and (rate! or rating or score\$1 or scoring or weight\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/19 10:15
L3 .	1495	2 and database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/19 10:15
L4	1310	3 and (search\$3 or quer\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR ,	ON	2006/03/19 10:16
L5	72	3 and ((search\$3 or quer\$4) near ((user near prefer\$4) or (user near define\$1) or profile!))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/19 10:31
L6	33	3 and ((search\$3 or quer\$4) near ((user near prefer\$4) or (user near define\$1) or profile!)) and correlat\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/03/19 10:19
Ĺ7	. 27	3 and ((search\$3 or quer\$4) near ((user near prefer\$4) or (user near define\$1) or profile!)) and correlat\$4 and (aggregat\$3 or group\$3)		OR	ON	2006/03/19 10:26
L8	33015	"707"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/19 10:21
L9	20099	"704"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/19 10:21

EAST Search History

1.5		1174 7114	110 -0	T	— ——	0000100110
L10	24462	"715"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/19 10:21
L11	43103	"709"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/19 10:22
L12	110815	8 or 9 or 10 or 11	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/19 10:23
L13	11	7 and 12	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/19 10:22
L14	55583	12 and database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/19 10:23
L15	0	13 and "natural-language term"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/19 10:26
L16	0	7 and "natural-language term"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/19 10:26
L17	27	3 and ((search\$3 or quer\$4) near ((user near prefer\$4) or (user near define\$1) or profile! or "particular-user-prefered")) and correlat\$4 and (aggregat\$3 or group\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/19 10:29
L18	0	7 and "particular-user-prefered"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/19 10:28

EAST Search History

L19		"particular-user-prefered"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/19 10:28
L20	0	("particular user prefered")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/19 10:29
L21	45	5 and 12	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/19 10:32



Home | Login | Logout | Access Information | Alerts | Sitemap | Help

Welcome United States Patent and Trademark Office

Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

Search >

SUPPORT

e-mail printer triendby

Results for "(((query and relevance and profile)<in>metadata)) <and> (pyr >= 1950 <and> py..."

Your search matched 1 of 1328352 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» Search Options

View Session History

New Search

» Key

IEEE JNL IEE JNL

IEEE Journal or Magazine IEE Journal or Magazine

IEEE CNF

IEEE Conference Proceeding

IEE CNF

IEE Conference Proceeding

IEEE STD

IEEE Standard

Modify Search

Display Format:

(((query and relevance and profile)<in>metadata)) <and> (pyr >= 1950 <and> pyr <=

Check to search only within this results set

Citation

Citation & Abstract

view selected items

Select All Deselect All

1. A new generation method of a user profile for information filtering on the Internet

Young-Woo Park; Eun-Seok Lee;

Information Networking, 1998. (ICOIN-12) Proceedings., Twelfth International Conference on

21-23 Jan. 1998 Page(s):261 - 264

Digital Object Identifier 10.1109/ICOIN.1998.648390

AbstractPlus | Full Text: PDF(44 KB) IEEE CNF

Rights and Permissions

Contact Us Privacy & Security IEEE.org

© Copyright 2006 IEEE - All Rights Reserved

Indexed by # Inspec **☑** Search Results

Horne | Login | Logout | Access Information | Alerts | Sitemap | Help IEEE Xplore 15 **Welcome United States Patent and Trademark Office**

I¶Search Resu	lts			BROWSE	SEARCH	IEEE XPLORE GUIDE		SUPPORT		
Your search	((term* and relevance and profil matched 4 of 1328352 documents of 100 results are displayed, 25 to						⊠ e-mail	aprinter triendly		
» Search Opti	ions									
View Session History		Modify Search								
New Search		(((term* and relevance and profile) <in>metadata)) <and> (pyr >= 1950 <and> pyr <=</and></and></in>								
			Chec	k to search only within this resu	ults set					
» Key		Displ	ay Fo	ormat: © Citation	C Citation & Abstra	act				
IEEE JNL	IEEE Journal or Magazine									
IEE JNL	IEE Journal or Magazine	ţ√vi	ew s	elected items Select	All Deselect All					
IEEE CNF	IEEE Conference Proceeding									
IEE CNF	IEE Conference Proceeding		1.	A new generation method of Young-Woo Park; Eun-Seok		ormation filtering on the Interne	et			
IEEE STD	IEEE Standard			•	3. (ICOIN-12) Proceeding - 264	gs., Twelfth International Confere	ence on			
				AbstractPlus Full Text: PDF(Rights and Permissions	(44 KB) IEEE CNF					
		Ε	2.	atmosphere Basili, P.; Ciotti, P.; d'Auria, G	6.; Marzano, F.S.; Pierdi sing. 1997. IGARSS '97 ternational ge(s):2100 - 2102 vol.4 09/IGARSS.1997.60923	. 'Remote Sensing - A Scientific				
		₽	3.	Visualizing potential common Yoshida, S.; Kamei, K.; Yokoo Multi Agent Systems, 1998. P 3-7 Jul 1998 Page(s):477 - 47 Digital Object Identifier 10.110 AbstractPlus Full Text: PDF(Rights and Permissions	o, M.; Ohguro, T.; Funak Proceedings. Internationa 8 09/ICMAS.1998.699294	oshi, K.; Hattori, F.;				
		П	4.	Determination of failure med Rimmer, R.A.; Particle Accelerator Conference 20-23 March 1989 Page(s):21 Digital Object Identifier 10.110 AbstractPlus Full Text: PDE(Rights and Permissions	ce. 1989, 'Accelerator S 14 - 216 vol.1 09/PAC.1989.73126	aperture windows cience and Technology' Procee	dings of the	<u>1989 IEEE</u>		

Indexed by #Inspec Help Contact Us Privacy & Security IEEE.org © Copyright 2006 IEEE - All Rights Reserved



Home | Login | Logout | Access Information | Alerts | Sitemap | Help

Welcome United States Patent and Trademark Office

E⊡#Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

Search >

SUPPORT

⊠e-mail 🚇 printer friendiy

Results for "((((degree <near/3> relevance) and term*)<in>metadata)) <and> (pyr >= 1950 <..."

Your search matched 1 of 1328352 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» Search Options

View Session History New Search » Key **IEEE JNL** IEEE Journal or Magazine **IEE JNL** IEE Journal or Magazine **IEEE CNF** IEEE Conference Proceeding IEE CNF IEE Conference Proceeding

IEEE Standard

Modify Search

((((degree <near/3> relevance) and term*)<in>metadata)) <and> (pyr >= 1950 <and>

Check to search only within this results set

Display Format:

Citation

Citation & Abstract

view selected items

Select All Deselect All

1. Visualizing potential communities: a multiagent approach

Yoshida, S.; Kamei, K.; Yokoo, M.; Ohguro, T.; Funakoshi, K.; Hattori, F.; Multi Agent Systems, 1998, Proceedings, International Conference on

3-7 Jul 1998 Page(s):477 - 478

Digital Object Identifier 10.1109/ICMAS.1998.699294

AbstractPlus | Full Text: PDF(405 KB) IEEE CNF

Rights and Permissions

Indexed by #Inspec

IEEE STD

Contact Us Privacy & Security IEEE.org

© Copyright 2006 IEEE - All Rights Reserved

Search Results

» Search Options

BROWSE

IEEE XPLORE GUIDE SUPPORT

Results for "((((degree <near/3> relevance) and score)<in>metadata)) <and> (pyr >= 1950 <..." Your search matched 2 of 1328352 documents.

☑e-mail 🚇 printer triendly

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

Г

View Session History New Search » Key IEEE JNL IEEE Journal or Magazine IEE JNL IEE Journal or Magazine **IEEE CNF** IEEE Conference Proceeding **IEE CNF** IEE Conference Proceeding **IEEE STD** IEEE Standard

Modify Search ((((degree <near/3> relevance) and score)<in>metadata)) <and> (pyr >= 1950 <and> Search > Check to search only within this results set **Display Format:** Citation C Citation & Abstract view selected items Select All Deselect All 1. Topic extraction with multiple topic-words in broadcast-news speech Ohtsuki, K.; Matsutoka, T.; Matsunaga, S.; Furui, S.; Acoustics, Speech, and Signal Processing, 1998, ICASSP '98, Proceedings of the 1998 IEEE International Conference

SEARCH

Volume 1, 12-15 May 1998 Page(s):329 - 332 vol.1 Digital Object Identifier 10.1109/ICASSP.1998.674434 AbstractPlus | Full Text: PDF(352 KB) IEEE CNF

Rights and Permissions

2. Topic extraction based on continuous speech recognition in broadcast-news speech Ohtsuki, K.; Matsunaga, S.; Matsuoka, T.; Furui, S.; Automatic Speech Recognition and Understanding, 1997. Proceedings., 1997 IEEE Workshop on 14-17 Dec. 1997 Page(s):527 - 534 Digital Object Identifier 10.1109/ASRU.1997.659132

AbstractPlus | Full Text: PDF(332 KB) IEEE CNF

Rights and Permissions

Indexed by # Inspec Help Contact Us Privacy & Security IEEE.org

© Copyright 2006 IEEE - All Rights Reserved

Sign in



Web Images Groups News Froogle Local **Advanced Search** degree relevance natural language term rankir Search **Preferences**

Web Results 1 - 10 of about 60,000 for degree relevance natural language term ranking score weight user opinion prefers

Scholarly articles for degree relevance natural language term ranking score weight user opinion preference profile aggregate maintaining database



An evaluation of interactive Boolean and natural ... - by Hersh - 23 citations Joint Semantics and Feature Based Image Retrieval Using ... - by Lu - 13 citations Feature integration and relevance feedback analysis in ... - by Celentano - 17 citations

[PDF] Algorithms and Applications of Preference Based Ranking for ...

File Format: PDF/Adobe Acrobat - View as HTML

profile is a weighted term vector in which a high weight of a term ... involved in the user's profile, the higher the ranking score that is obtained. For ... www.it.deakin.edu.au/~wanlei/mjlanthesis.pdf - Similar pages

FLINT-CIBI 2003: Abstracts

Thus "Precisiated Natural Language, PNL" proposed by Lotfi A. Zadeh ought to be ... maintain large databases of information about their users, and, ... www-bisc.eecs.berkeley.edu/FLINTCIBI/abstrats.html - 133k - Cached - Similar pages

Untitled

new weight for collaborative filtering score = old Weight of ... The system allows users to maintain profiles (containing sections and keywords for ... www.cs.wpi.edu/~claypool/ms/cf-improve/html/ - 177k - Cached - Similar pages

[PDF] PIA 2005 Workshop on New Technologies for Personalized Information ...

File Format: PDF/Adobe Acrobat - View as HTML

ing user preferences in user profiles gives a system the opportunity to return more ... The result of the ranking algorithm is the degree of relevance of an ... adiret.cs.uni-magdeburg.de/ pia2005/docs/ProceedingsPIA2005.pdf - Similar pages

[PDF] Towards Self-Organizing Query Routing and Processing for Peer-to ...

File Format: PDF/Adobe Acrobat - View as HTML

entry for a given term or URL maintain ranked lists of peers that have good information ... based on ontologies, user profiles, or relevance feedback. ...

wwwcs.upb.de/fachbereich/AG/ agmadh/WWW/schindel/pubs/cs-conference.pdf -Similar pages

[PDF] Experiments in Social Data Mining: The TopicShop System 1 ...

File Format: PDF/Adobe Acrobat - View as HTML

of the links is assigned a weight of 1/k when the authority score of D is ... opinion on item quality, then social data mining is easier for users and ...

www.grouplens.org/papers/pdf/tochi-amento-2003.pdf - Similar pages

[PDF] D.6.2 Personalization Report

File Format: PDF/Adobe Acrobat - View as HTML

store user profiles and is best suited for light weight user profiles like contact ... learning,

user modelling and natural language processing offer novel ...

www.vikef.net/news/upload/ uploadFiles/VIKEFD6 2Final.pdf - Similar pages

[POC] (Independent Consultant) Preston Position Paper 2

File Format: Microsoft Word 6 - View as HTML

Applying traditional term weight strategies in a distributed system is hard, ... Search

engines could maintain databases with link information, ...

www.w3.org/Search/ 9605-Indexing-Workshop/Papers/AllPaps.doc - Similar pages

[PDF] User Interfaces for Topic Management of Web Sites

File Format: PDF/Adobe Acrobat - View as HTML

... small gains in **relevance ranking** of results with respect to the. **user's** query. ... links is assigned a **weight** of 1/k when the authority **score** of D is ...

scholar.lib.vt.edu/theses/available/etd-12022003-105949/ unrestricted/amento-dissertation-final.pdf - Similar pages

[PS] Bulletin of the Technical Committee on Data Engineering September ...

File Format: Adobe PostScript - View as HTML

2.2 EasyAsk EasyAsk is commercial system that provides **natural language** search ... The **relevance score** of ananswer tree is computed from the **relevance** ... sites.computer.org/debull/septA01-a4final.ps - Similar pages

Try your search again on Google Book Search

Gooooooogle >

Result Page:

1 2 3 4 5 6 7 8 9 10

Next

Free! Speed up the web. Download the Google Web Accelerator.

degree relevance natural language t

Search

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

Google Home - Advertising Programs - Business Solutions - About Google

©2006 Google